Monday, 4/30/2007 7:23:58 AM Date: Kim Johnston Ųs**a**r: **Process Sheet** • : SHOULDER HARNESS **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 32110 **Estimate Number** : 12845 Part Number : D3579041 P.O. Number : N/A S.O. No. : ALA D3579 REV A **Drawing Number** : 4/30/2007 This Issue : N/A Project Number : NC. Prsht Rev. : PURCHASED PARTS **Drawing Revision** Type First Issue : NA Material AILI: Previous Run Each Qty: 32 Um: **Due Date** : 5/4/2007 Written By Checked & Approved By : Est Rev: New Issue 07-04-27 JLM Comment Additional Product Job Number: Description: **Machine Or Operation:** Seq. #: PURCHASING 1.0 Comment: PURCHASING 3467 Issue P/O:\_ CZ07104/05 B3 P/N:5-02-9C5901 Possible supplier: Schoth Safty Products Certficate of conformaty is required SHOULDER HARNESS LH 2.0 5029C5901 Comment: Qty.: 32.0000 Each(s) 1.0000 Each(s)/Unit Total: SHOULDER HARNESS LH PACKAGING RESOURCE #1 PACKAGING 1 3.0 Comment: PACKAGING RESOURCE #1 Receive & Inspect For Transit Damage Ensure certificate of conformity is attached 4.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING 1 PACKAGING RESOURCE 5.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGE	S	i I			
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				;			
				1			
Part No	):	PAR #: Fault Category:	NCR: Yes	N/C Closed	A: <u>£</u>	Date: <u>C</u>	7/05/H
			QA:	N/C Close	d:	_ Date: _	

	WORK ORDER NON-CONFORMANCE (NCR)							
	Description of NC		Corrective Action Section B					
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector	
					:		100	
	STEP	STED Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sign &	STEP Description of NC Section A Section B Initial Action Description Sign & Section C	STEP Description of NC Section A Portion Description Section B Section C Chief Eng	

NOTE: Date & initial all entries

Date: ,

Monday, 4/30/2007 7:23:59 AM

User:

Kim Johnston

**Process Sheet** 

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SHOULDER HARNESS

Part Number: D3579041

Job Number: 32110

Seq. #:

Job Number:

Machine Or Operation:

Description:

6.0

QC21

FINAL INSPECTION/W/O RELEASE





Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



U 07.05.14

## **Dart Aerospace Ltd**

<b>W</b> /O:		WORK ORDER CHANGES	WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
			,						
					-				
				) 1 1					
					<u> </u>				
Part No	:	PAR #: Fault Category: No	CR: Ye	s No DQ	A:	Date:			


QA: N/C Closed: \_\_\_\_ Date: \_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification		T .		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
				,						
			,							
								-		

NOTE: Date & initial all entries



DESIG	LE	DRAWN BY	DART AEROSPAC HAWKESBURY, ONTARIO, O	
CHEC	KED	APPROVED ,,	DRAWING NO.	REV. A
	B		D3579	SHEET 1 OF 4
DATE			TITLE	SCALE
07.0	1.12		SHOULDER HARNESS	NTS
Α		07.01.12	NEW ISSUE	



#### D3579-041/-042 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION:

3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND, BLACK WEBBING

2) PURCHASE INFO:

(P/N 5-02-9C5901 (D3579-041) P/N-5=02-9C0901-(D3579-042)

SCHROTH SAFETY PRÒDUCTS, Pompano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-041/-042"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER

Copyright @ 2007 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	
CHECKED	APPROVED ,	DRAWING NO.	REV. A
_k		D3579	SHEET 2 OF 4
DATE		TITLE	SCALE
07.01.12		SHOULDER HARNESS	NTS



### <u>D3579-043 SHOULDER HARNESS (SHOWN)</u> D3579-044 SHOULDER HARNESS (OPPOSITE)

D3579-043/-044 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION:

3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO:

P/N 5-02-9L5901 (D3579-043) P/N 5-02-9L0901 (D3579-044)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-043/-044"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


SHOP COPY
RETURN TO
ENGINEERING
INCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER

Copyright © 2007 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSPAC HAWKESBURY, ONTARIO, C	
CHECKED	APPROVED #/	DRAWING NO.	REV. A
_A		D3579	SHEET 3 OF 4
DATE		TITLE	SCALE
07.01.13	2	SHOULDER HARNESS	NTS



### D3579-045 SHOULDER HARNESS (SHOWN) D3579-046 SHOULDER HARNESS (OPPOSITE)

D3579-045/-046 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION:

3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO:

P/N 5-01-2J5701 (D3579-045) P/N 5-01-2J0701 (D3579-046)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-045/-046"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDER NO. 331

Copyright © 2007 by DART AEROSPACE LTD



DESIGN C	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CAN	
CHECKED	APPROVED /	DRAWING NO.	REV. A
串		D3579	SHEET 4 OF 4
DATE		TITLE	SCALE
07.01.12		SHOULDER HARNESS	NTS



### <u>D3579-047 SHOULDER HARNESS (SHOWN)</u> <u>D3579-048 SHOULDER HARNESS (OPPOSITE)</u>

D3579-047/-048 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO:

P/N 5-01-2M5701 (D3579-047) P/N 5-01-2M0701 (D3579-048)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-047/-048"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

110-12-

Copyright © 2007 by DART AEROSPACE LTD

5/9/2007



#### Schroth Safety Products Corp.

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

Bill To

DART Aerospace Ltd 1270 Aberdeen St

Hawkesbury, ON K6A 1K7

Canada

Ship To

DART Aerospace Ltd 1270 Aberdeen St

Hawkesbury, ON K6A 1K7

Canada

Phone: 613-632-3336 Fax: 613-632-4443

Order- Line	Description	Qty
DAR07007-5	5-01-2J5701 restraint, 3-pt, da40pax, lh, bolt- on, reel, 601black, P/N D3579-045	20 ea -
	DART AEROSPACE LTD, 613-632-3336 P/N D3579-045	
DAR07007-6	5-01-2J0701 restraint, 3-pt, da40pax, rh, bolton, reel, 601black, PND3579-046	24 ea —
	DART AEROSPACE LTD, 613-632-3336 P/N D3579-046	
DAR07007-1-	/ [5-02-9C5901RevA ] restraint,3-pt,lh,artic buckle,reel,601black,P/N D3579-	(32 ea) (21/5/10
(	041 DART AFROSRACE LTD 642 622 2226	
	DART AEROSPACE LTD, 613-632-3336 P/N D3579-041	
DAR07007-3	5-02-9L5901 restraint,3-pt,long,lh,artic buckle,reel,601black,P/N D3579- 043	10
	DART AEROSPACE LTD, 613-632-3336 P/N D3579-043	
	Aircraft SN: Bell 205	Plating P.O.: Webbing: 601 Black Parts on SSPG PO 1008200
	PO: PO00003467	

Notes:

DAR07007 - ONLY LINES 5, 6, 1, & 3

Ship Via:

Fed-Ex

FOB:

# SCHROTH Safety Products Corp. MATERIAL ACCEPTANCE TAG

Part Number:	5-02-9L5901		10			
Serial Number:	05/07	Quantity:	10			
Part Description:	restraint,3-pt,iong,lh,artic buckle,reel,801black,P/N D3579-043					
P.O./W.O. #	DAR07007-3					
Vendor/Shop:	SHODYSew					
Inspector:	J.WANSIA		7 30-			
Date:	59107	Approval	∂SPC QC			
	Form FOA 2000 2 War In 11 W		00g			

SCHROTH Safety Products Corp MATERIAL ACCEPTANCE TAG

Part Number:	5-02-9C5901RevA	32		
Serial Number:	05/07	Quantity: 32		
Part Description:	restraint,3-pt,/h,artic buckle,reel,601black,P/N D3579-041			
P.O./W.O. #	DAR07007-1			
Vendor/Shop:	SHop+sew			
Inspector:	Birger	SSPG		
Date:	319107	Approval QC		
	1 1			

Form FQA 2000-3 Rev. IR 11/00

	ng National Aviation 2.				3	. Form Tracking Number:
	ority/Country: UNITED STATES	AUTHORIZEI  FAA Form 813	D RELEASE 30-3, AIRWORTHINESS		<b>CATE</b>	DAR07007-1
. Organiz	ation Name and Address:					i. Work Order/Contract/Invoice
			371 S.W.8th St. Unit # 3. Po			DAR07007-1
6. Item:	7. Description:		9. Eligibility:	10. Quantity: 1	<ol> <li>Serial/Batch Numb Date Mfg.:05/07</li> </ol>	er: 1-12: Status/Work: NEW
1	Restmint,3-pt.,lh,artic buckle, reel,601 black	(5-02-9C5901RevA	NIA	32	Date Mig. Usru?	NEW
. Remar		A CONTRACTOR OF THE STATE OF TH				
	EXPORT TO CANADA					
•					- r	
					EN	
A Carrie	ios the Starre Identified phone w	vere manufactured in conformity to:	100-1140	FR 43.9 Return to Servi	on Other remi	lation specified in Block 13
			13.40	. W 40's Weign in to Det 41	ce 🗀 Otaci regu	iation specified in Direct 13
⊠ Ap	proved design data and are in	a condition for safe operation.				vork identified in Block 12
□ N6	n-approved design data specifi	ied in Block 13.				ce with Title 14, Code of the items are approved for
		<b>/</b> )	return to		in respect to that work,	the items are approved to
5 Author	rized Signature:	16. Approval/Authoriza	ation No.: 20. Authorize	l Gionethype		21. Approval/Certificate No.:
		DMIR-511304		i viguaem e:		Zr. Approvancer discate 140.:
1	1-6, 21					
2000	(Typed or Pyinted):	18. Date (m/d/y):	21 N (T)	ned or Pristled):	·	23. Date (m/d/y)
	Authory B. LaPointe	May/09/2007	22. Name (1)	led or Exerced):		23. Date (mudy)
			User/Installer Respon			
r is millo	reant to understand that the ex	distance of this document alone does	not automatically constitute	authority to install the	part/component/assembl	у.
Where the	e user/installer performs work	in accordance with the national reg	ulations of an airworthiness	authority different than	the altworthiness suth	arity of the country specified in
Block 1, i	t is essential that the user/insta	iller ensures that his/her airworthine	ess authority accepts parts/c	omponents/assemblies fr	om the nirworthiness at	thority of the country specified
n Block1.						
i Statemen	ts in Blacks 14 and 19 do not e	I waitealitzaa majtelletzai atutitzaa	n all cases aireans mainte-	mes records must some	in an installation and f	eation issued in accordance with the
antional r	regulations by the user/installer	r before the aircraft may be flown.	u an cases, an Crait maintsh	nies i seni da minst cours	· · · · · · · · · · · · · · · · · · ·	ELION ISSUED IN ACCORDANCE WHID THE
				<u></u>		
FAA For	m 8130-3 (6-01)	*Installer must cross-chec	k eligibility with applicab	e technical data.		NSN: 0052-00-012-9005

3. Form Tracking Number: